



I. Product and Company Information

Product Name:	Soda Ash Solution 5%, 10%, 17.5%, 20%, 25%, & 27%	Synonym:	Sodium Carbonate Solution
Chemical Name:	Carbonic acid disodium salt	CAS Number:	497-19-8
Manufacturer's Name: Southern Ionics Incorporated 579 Commerce Street West Point, MS 39773 Customer Service: 1-800-953-3585 Web Site www.southernionics.com	Emergency Contacts: Afterhours (Southern Ionics) 1-888-610-2379 For Chemical Emergency, Spill or Accident Call CHEMTREC at 1-800-424-9300 CHEMTREC CCN - 20596		

II. Hazard Identification

OSHA HCS / GHS Classification(s):		Hazard Statement(s):	
Solution is not classified under GHS Rules.		May cause mild eye irritation.	
The dry, solid, or anhydrous form of this chemical maybe classified in some jurisdictions.		May cause mild skin irritation.	
		May be harmful if swallowed.	
		May be harmful if inhaled.	
Signal Word:	Precautionary Statement(s):		
Not Applicable	Prevention:	See Section VIII. Person Protective Equipment	
Symbol(s):	Response:	See Section IV. First Aid Measures	
Not Applicable			

III. Composition / Information on Ingredients

Chemical Name:	CAS Reg #'s	%
Sodium Carbonate	497-19-8	5 - 27
Water	7732-18-5	Balance

IV. First Aid Measures

Eyes:	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Check for and remove any contact lenses. Seek medical attention, if you feel unwell.
Dermal / Skin:	Remove contaminated clothing and wash exposed area thoroughly with soap and water. Seek medical attention, if you feel unwell.
Inhalation:	Move to fresh air immediately. If breathing is difficult, give oxygen. Seek medical attention, if you feel unwell.
Ingestion:	If swallowed, give several glasses of water but do not induce vomiting. Seek medical attention immediately.

V. Fire Fighting Measures

NFPA Hazard Rating:	Health (Blue)	Fire (Red)	Reactivity (Yellow)	Special Instructions (White)
	1	0	0	None
NFPA Hazard Classification: 0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme				
Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.			
Special Firefighting Procedure:	Wear NIOSH-approved self-contained breathing apparatus (SCBA). Use water spray to keep containers cool and to knock down fumes.			

VI. Accidental Release Measures

Precaution if Spilled or Released:	Steps should be taken to contain spilled liquids and prevent discharges to streams or sewer systems.
Neutralizing Chemicals:	Dilute acid.

VII. Handling and Storage

Handling:	Handle all chemicals with respect. Keep separated from incompatible substances. Handle only with equipment, materials, and supplies specified by their manufacturer as being compatible and appropriate for use with this product.
Storage:	Use black iron, mild steel or stainless steel for storage. Copper, tin, zinc or aluminum and their alloys should be avoided. Store at appropriate temperature to protect from freezing or crystallization. Consult the appropriate SII Product Bulletin for temperature recommendations. Do not store this material near food, animal feed or drinking water. Store in well-ventilated area. Store away from excessive heat and from reactive materials. Keep container tightly closed when not in use.

VIII. Exposure Control / Personal Protective Equipment

Component Workplace Control Parameters:				
Components:	CAS-No.	Value	Parameters	Basis
No Data Available				
Engineering Controls:	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.			
General Hygiene:	Practice good personal hygiene after using this material, especially before eating, drinking, smoking, or using the toilet.			
Personal Protection Equipment:				
Eye:	Use chemical splash goggles and face shield.			
Skin:	Chemically resistant gloves should be worn whenever this material is handled. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough.			
Respiratory:	None required under normal conditions.			
Other Protective Items:	Where splash is possible, full chemically resistant protective clothing and boots are required. Ensure that eyewash stations and safety showers are proximal to the work-station location.			
HMIS Classification:	Health (Blue)	Flammability (Red)	Physical Hazard (Yellow)	PPE (White)
	1	0	0	See Above
Hazard Classification: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe				

IX. Physical and Chemical Properties

Physical State:	Liquid	pH:	11.5
Appearance:	Clear	Molecular Weight:	106 for Na ₂ CO ₃
Odor:	Odorless	Odor Threshold:	No Data Available
Specific Gravity: (H₂O=1)	1.05 to 1.31 @ 60°F (15.6°C)	Pounds per Gallon:	8.7 to 10.9 @ 60°F (15.6°C)
Vapor Density: (Air=1)	Similar to water	Vapor Pressure:	Similar to water
Boiling Point:	213°F to 220°F (100.5°C to 104°C)	Freezing/Melting Point:	28°F (-2°C).
Lower Explosive Limit:	Not Applicable	Upper Explosive Limit:	Not Applicable
Flash Point:	Not Applicable	Autoignition Temp:	Not Applicable
Solubility in water:	100%		
Other:			

X. Stability and Reactivity Data

Chemical Stability:	Stable at ambient temperatures. It will begin to decompose and evolve carbon dioxide above temperatures of 752°F (400°C).
Conditions To Avoid:	Reacts violently with aluminum metal and phosphorus pentoxide. Avoid temperature extremes.
Incompatible Materials:	Reacts with mineral acids to form carbon dioxide. Also reacts with lime to form caustic soda. May react with reducing sugars to form deadly carbon monoxide gas. Proper tank entry and occupancy procedures should be observed.
Hazardous Products of Decomposition:	None

XI. Toxicological Information

Routes of Entry:	<input checked="" type="checkbox"/> Eyes <input checked="" type="checkbox"/> Skin <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Inhalation					
Sign and symptoms of Exposure:	No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label.					
Eye Contact:	May cause irritation.					
Ingestion:	May be harmful if swallowed.					
Skin Contact:	May cause irritation.					
Inhalation:	May cause respiratory tract irritation.					
Carcinogenicity:	NPT	Not Listed	IARC	Not Listed	OSHA	Not Regulated
Ingredient Name:	Species		Test		Route	Results
No Data Available						
Comments:						

XII. Ecological Information

Ingredient Name:	Species	Test	Period	Results
No Data Available				
Comments:				

XIII. Disposal Considerations

Waste Disposal:	Always dispose of material in accordance with local, state, and federal regulations.
------------------------	--

XIV. Transportation Information

Proper Shipping Name:	Soda Ash in Water Solution		
DOT Classification:	Not Regulated by USDOT		
Identification Number:		Packing Group:	Other Labels:
Comments:	2832.30.1000		

XV. Regulatory Information

Inventory Status:		US Regulations:	
U. S. TSCA	Yes	SARA 302 TPQ	Not Listed
Europe EINECS	Yes	SARA 304 RQ	Not Listed
Canadian DSL	Yes	SARA 313 List	Not Listed
Japan ENCS	Yes	CERCLA (RQ)	Not Listed
Korean KECI	Yes	RCRA 261.33	Not Listed
Philippines PICCS	Yes		
Australian AICS	Yes		
		SARA 311/312	<input checked="" type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/> Fire <input type="checkbox"/> Release of Pressure <input type="checkbox"/> Reactive
International Regulations:		Other Regulations:	
Canada WHMIS	Not Listed	Anhydrous is regulated by WHIMS	California PROP 65 No
EINECS	207-838-8		

XVI. Other Information

NSF Certification:	<u>Soda Ash solution (20 – 35%) manufactured at Pasadena, TX is NSF-60 certified.</u> <u>Maximum use in potable water is 286 mg/L.</u>
Other:	_____
Revision Notes:	_____
MSDS Replacements:	<u>SII MSDS 010 Soda Ash Solution</u>

SALES OFFICE

For Product Information:
TEL: 662-494-3055
FAX: 662-494-2828

Post Office Drawer 1217
West Point, MS 39773

To Place An Order:
TEL: 800-953-3585
FAX: 800-953-3588

IMPORTANT

Although the information contained is offered in good faith, SUCH INFORMATION IS EXPRESSLY GIVEN WITHOUT ANY WARRANTY (EXPRESS OR IMPLIED) OR ANY GUARANTEE OF ITS ACCURACY OR SUFFICIENCY and is taken at the user's sole risk. User is solely responsible for determining the suitability of use in each particular situation. SII specifically DISCLAIMS ANY LIABILITY WHATSOEVER FOR THE USE OF SUCH INFORMATION, including without limitation any recommendation which user may construe and attempt to apply which may infringe or violate valid patents, licenses, and/or copyright.